

## **Section 1: IDENTIFICATION**

### 1.1 PRODUCT IDENTIFIER

Product Name: ZL-27A Aerosol
Product Code: Not available.

# 1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

**Use:** Non-Destructive Testing.

## 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: Magnaflux

3624 West Lake Avenue.

Glenview, Illinois

60026

**Telephone Number:** 847-657-5300

#### 1.4 EMERGENCY TELEPHONE NUMBER

**Emergency Telephone Number:** CHEMTREC 800-424-9300

Date of Preparation: December 16, 2013 Version #: 1.0

# Section 2: HAZARD(S) IDENTIFICATION

## 2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class

Flammable Aerosol 2 Gases Under Pressure Compressed Gas Aspiration hazard 1

# 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

# **Hazard Pictogram:**







Signal Word: Danger

Hazard Statement: Flammable aerosol. Contains gas under pressure; may explode if

heated. May be fatal if swallowed and enters airways.

**Prevention:** Keep away from heat/sparks/open flames/hot surfaces. -No

smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Response: If swallowed: Immediately call a poison center/doctor. Do NOT

induce vomiting.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50 °C/122 °F. Store in a well- ventilated place. Store locked up.



**Disposal:** Dispose of contents and container in accordance with all local,

regional, national and international regulations.

# 2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Not applicable.

18 % of the mixture consists of ingredient(s) of unknown acute toxicity.

This product is a hazardous chemical as defined by NOM-018-STPS-2000.

## **Mexico Classification:**



Blue = Health Red = Flammability Yellow = Reactivity White = Special

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

# WHMIS Classification(s):

Class A - Compressed Gas Class B5 - Flammable Aerosol Class D2B - Skin/Eye Irritant

# **WHMIS Hazard Symbols:**







WHMIS Signal Word:

**DANGER** 

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 MIXTURES

Ingredient	UN#	H/F/R/*	CAS No	Wt. %
Detrology good linguistical appearance	LINIAOZE	Not oveileble	C0.47C 0C 0	45 40
Petroleum gases, liquefied, sweetened	UN1075	Not available	68476-86-8	15 - 40
White mineral oil, petroleum	Not available	Not available	8042-47-5	10 - 30
Distillates (petroleum), hydrotreated				
light	UN1268	Not available	64742-47-8	10 - 30
Castor oil	Not available	0/1/0	8001-79-4	7 - 13
Triphenyl phosphate	Not available	2/1/0	115-86-6	0.5 - 1.5
7-(Diethylamino)-4-methyl-2-				
benzopyrone	Not available	Not available	91-44-1	0.5 - 1.5

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

<sup>\*</sup> Per NOM-018-STPS-2000



## **Section 4: FIRST- AID MEASURES**

#### 4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye: In case of contact, immediately flush eyes with plenty of water for at

least 15 minutes, including under lids. If easy to do, remove contact

lenses, if worn. Get medical attention immediately.

**Skin:** In case of contact, immediately flush skin with plenty of water. Do

not use ointments. Call a physician if irritation develops and persists.

**Inhalation:** If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing. Get medical advice/attention if you feel unwell.

**Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious

person. Get immediate medical advice/attention.

# 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye: May cause eye irritation. Symptoms may include discomfort or pain,

excess blinking and tear production, with marked redness and

swelling of the conjunctiva.

**Skin:** May cause skin irritation. Symptoms may include redness, drying,

defatting and cracking of the skin.

**Inhalation:** May cause respiratory tract irritation. May cause drowsiness or

dizziness.

**Ingestion:** May be fatal if swallowed and enters airways. May cause stomach

distress, nausea or vomiting. This product may be aspirated into the

lungs and cause chemical pneumonitis.

# 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

**Note to Physicians:** Symptoms may not appear immediately.

Specific Treatments: In case of accident or if you feel unwell, seek medical advice

immediately (show the label or SDS where possible).

# **Section 5: FIRE-FIGHTING MEASURES**

# **5.1 FLAMMABILITY**

Flammability: Flammable by WHMIS/OSHA/NOM-018-STPS-2000 criteria.

**5.2 EXTINGUISHING MEDIA** 

Suitable Extinguishing Media: Foam, carbon dioxide.

Unsuitable Extinguishing Media: Water.

#### 5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

**Products of Combustion:** May include, and are not limited to: oxides of carbon, oxides of nitrogen.

**Explosion Data:** 

Sensitivity to Mechanical Impact: Not available.



Sensitivity to Static Discharge: Not available.

#### 5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool. Avoid water in straight hose stream; will scatter and spread fire. Containers may explode when heated.

## Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

#### 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

**Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite),

then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Cleaning-Up:** Scoop up material and place in a disposal container. Provide ventilation.

#### **Section 7: HANDLING AND STORAGE**

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

**Handling:** Keep away from sources of ignition. - No smoking. Do not spray on

an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Container may explode if heated. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Use only outdoors or in a well-ventilated area. When using do not eat, drink or smoke. Use non-

sparking tools. (See section 8)

General Hygiene Advice: Launder contaminated clothing before reuse. Wash hands before

eating, drinking, or smoking.

# 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

**Storage:** Keep out of the reach of children. Protect from sunlight. Do not store

at temperatures above 50 °C / 122 °F. Store in a well-ventilated

place. Store locked up. (See section 10)

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# **8.1 CONTROL PARAMETERS**

## **Exposure Guidelines**

Occupational Exposure Limits			
Ingredient	OSHA-PEL	ACGIH-TLV	
Petroleum gases, liquefied, sweetened	1000 ppm	1000 ppm	
White mineral oil, petroleum	Not available.	Not available.	
Distillates (petroleum), hydrotreated light	100 ppm	200 mg/m <sup>3</sup>	
Castor oil	Not available.	Not available.	



Triphenyl phosphate	3 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>
7-(Diethylamino)-4-methyl-2-benzopyrone	Not available.	Not available.

#### **8.2 EXPOSURE CONTROLS**

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust,

fume, vapor, etc.) below recommended exposure limits.

## **8.3 INDIVIDUAL PROTECTIVE MEASURES**

**Personal Protective Equipment:** 

Eye/Face Protection: Safety glasses or goggles are recommended when using product.

**Skin Protection:** 

Hand Protection: Chemical-resistant gloves.

Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

**General Health and Safety** 

Measures:

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Oily.
Color: Green.

Odor: Mild oily odor.
Odor Threshold: Not available.

Physical State: Gas/pressurized liquid.

pH: Neutral.

Melting Point/Freezing Point: Not available.

Initial Boiling Point and Boiling Range: ~ 235 °C (~ 455 °F)

Flash Point:  $\sim 93 \,^{\circ}\text{C} \, (\sim 200 \,^{\circ}\text{F})$ 

**Evaporation Rate:** Negligible. Flammability: Flammable.

Lower Flammability/Explosive Limit: 1%
Upper Flammability/Explosive Limit: 6%

**Vapor Pressure:** 60 psi @ 24°C (75 °F)

Vapor Density: >1 (Air= 1)

Relative Density/Specific Gravity: 0.96



Solubility: Insoluble

Partition coefficient: n-octanol/water:

Auto-ignition Temperature:

Not available.

Not available.

Not available.

Viscosity:

9.17-11.21 cSt

Oxidizing Properties:

Not available.

Not available.

Not available.

#### Section 10: STABILITY AND REACTIVITY

#### **10.1 REACTIVITY**

No dangerous reaction known under conditions of normal use.

## **10.2 CHEMICAL STABILITY**

Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not pierce or burn, even after use.

# **10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

No dangerous reaction known under conditions of normal use.

## **10.4 CONDITIONS TO AVOID**

Heat. Incompatible materials. Sources of ignition.

### 10.5 INCOMPATIBLE MATERIALS

None known.

# 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon, oxides of nitrogen.

#### Section 11: TOXICOLOGICAL INFORMATION

## 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

**Likely Routes of Exposure:** Skin contact, eye contact, inhalation, and ingestion.

# Symptoms related to physical/chemical/toxicological characteristics:

Eye: May cause eye irritation. Symptoms may include discomfort or pain,

excess blinking and tear production, with marked redness and swelling of

the conjunctiva.

Skin: May cause skin irritation. Symptoms may include redness, drying,

defatting and cracking of the skin.

Ingestion: May be fatal if swallowed and enters airways. May cause stomach

distress, nausea or vomiting. This product may be aspirated into the lungs

and cause chemical pneumonitis.

**Inhalation:** May cause respiratory tract irritation. May cause drowsiness or dizziness.

**Acute Toxicity:** 



Ingredient	IDLH	LC50	LD50
Petroleum gases, liquefied,		Inhalation 658 mg/L	
sweetened	Not available.	4h, rat	Not available.
		Inhalation > 5 mg/L	Oral >5000 mg/kg, rat
White mineral oil, petroleum	Not available.	4h, rat	Dermal >2000 mg/kg, rabbit
Distillates (petroleum),		Inhalation >5.2	Oral >5000 mg/kg, rat
hydrotreated light	Not available.	mg/L 4h, rat	Dermal >2000 mg/kg, rabbit
Castor oil	Not available.	Not available.	Not available.
			Oral 3500 mg/kg, rat
Triphenyl phosphate	1000 mg/m <sup>3</sup>	Not available.	Dermal >7900 mg/kg, rabbit
7-(Diethylamino)-4-methyl-2-			
benzopyrone	Not available.	Not available.	Oral 5 g/kg, rat

Calculated overall Chemical Acute Toxicity Values			
LC50 (inhalation) LD50 (oral) LD50 (dermal)			
> 5 mg/L 4h, rat	> 2000 mg/kg, rat	> 2000 mg/kg, rabbit	

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Petroleum gases, liquefied, sweetened	Not listed.
White mineral oil, petroleum	Not listed.
Distillates (petroleum), hydrotreated light	Not listed.
Castor oil	Not listed.
Triphenyl phosphate	A-4
7-(Diethylamino)-4-methyl-2-benzopyrone	Not listed.

<sup>\*</sup> See Section 15 for more information.

# 11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation: May cause skin irritation.

Serious Eye Damage/Irritation: May cause eye irritation.

Respiratory Sensitization:

Skin Sensitization:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT-Single Exposure:

Based on available data, the classification criteria are not met.

**Chronic Health Effects:** 

Carcinogenicity: Based on available data, the classification criteria are not met.Germ Cell Mutagenicity: Based on available data, the classification criteria are not met.

**Reproductive Toxicity:** 

Developmental: Based on available data, the classification criteria are not met.
 Teratogenicity: Based on available data, the classification criteria are not met.
 Embryotoxicity: Based on available data, the classification criteria are not met.
 Fertility: Based on available data, the classification criteria are not met.

STOT-Repeated Exposure: Based on available data, the classification criteria are not met.



**Aspiration Hazard:** May be fatal if swallowed and enters airways.

**Toxicologically Synergistic** 

Materials:Not available.Other Information:Not available.

# **Section 12: ECOLOGICAL INFORMATION**

## 12.1 ECOTOXICITY

**Acute/Chronic Toxicity:** May cause long-term adverse effects in the aquatic environment.

## 12.2 PERSISTENCE AND DEGRADABILITY

Not available.

## 12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Not available.

#### 12.4 MOBILITY IN SOIL

Not available.

# 12.5 OTHER ADVERSE EFFECTS

Floats on water.

# **Section 13: DISPOSAL CONSIDERATIONS**

# **13.1 WASTE TREATMENT METHODS**

Disposal Method: This material must be disposed of in accordance with all

local, state, provincial, and federal regulations.

Other disposal recommendations: Not available.

# **Section 14: TRANSPORT INFORMATION**

## **14.1 UN NUMBER**

DOT TDG NOM-004-SCT2-1994

UN1950 UN1950 UN1950

**14.2 UN PROPER SHIPPING NAME** 

DOT TDG NOM-004-SCT2-1994

Aerosols, flammable Aerosols, flammable Aerosols, flammable

14.3 TRANSPORT HAZARD CLASS (ES)

DOT TDG NOM-004-SCT2-1994

2.1 2.1 2.1

**14.4 PACKING GROUP** 

DOT TDG NOM-004-SCT2-1994

Not applicable. Not applicable. Not applicable.



## 14.5 ENVIRONMENTAL HAZARDS

Not available.

# 14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

## 14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

## **Section 15: REGULATORY INFORMATION**

# 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

**Canada:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**US:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

**Mexico:** MSDS prepared pursuant to NOM-018-STPS-2000.

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Petroleum gases, liquefied,				
sweetened	Not listed.	Not listed.	Not listed.	Not listed.
White mineral oil, petroleum	Not listed.	Not listed.	Not listed.	Not listed.
Distillates (petroleum),				
hydrotreated light	Not listed.	Not listed.	Not listed.	Not listed.
Castor oil	Not listed.	Not listed.	Not listed.	Not listed.
Triphenyl phosphate	Not listed.	Not listed.	Not listed.	Not listed.
7-(Diethylamino)-4-methyl-2-				
benzopyrone	Not listed.	Not listed.	Not listed.	Not listed.

## **State Regulations**

# California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

## **Global Inventories:**

Ingredient	Canada DSL/NDSL	USA TSCA
Petroleum gases, liquefied, sweetened	DSL	Yes.
White mineral oil, petroleum	DSL	Yes.
Distillates (petroleum), hydrotreated light	DSL	Yes.
Castor oil	DSL	Yes.
Triphenyl phosphate	DSL	Yes.
7-(Diethylamino)-4-methyl-2-benzopyrone	DSL	Yes.



NFPA-National Fire Protection Association:			
Health: 1			
Fire: 4			
Reactivity: 0			

HMIS-Hazardous Materials Identification System:		
Health:	1	
Fire: 4		
Physical Hazard: 0		

**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

#### SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65 California Proposition 65

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

# IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

- 3 The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

#### NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

#### **Section 16: OTHER INFORMATION**

**Date of Preparation:** December 16, 2013 **Expiry Date:** December 16, 2016

Version: 1.0

Revision Date: December 16, 2013

Conforms to OSHA HazCom 2012, CPR & NOM-018-STPS-2000 Standards

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by: Nexreg Compliance Inc.

Phone: (519) 488-5126

www.nexreg.com





Prepared for: Magnaflux

**End of Safety Data Sheet**